



6400 SW Rosewood St.
 Lake Oswego, OR 97035
 Phone: (503) 297-3636

Quality Control Analytical Report

Company	Trü2u	Manufacture Date	May 8, 2025
Product	I am Radiant - Vitamin D3	Bulk Lot Number	422-0048
Master Formula Reference	MP422	Expiration Date	05/28
Bottle Product Code	5422-060-TRU		

PHYSICAL PROPERTIES

Test Description	Specification	Result	Method
Color	White	Complies	Organoleptic - House
Description	#3 Vegetable Caps	Complies	House
Average Weight per Serving	177 mg (+/- 10%)	180 mg	USP <2091>

HEAVY METAL PROPERTIES

Test Description	Specification	Result	Method
Aluminum	Report Only	4.483 ppm	ICP-MS
Antimony	Report Only	0.020 ppm	ICP-MS
Arsenic	Report Only	0.015 ppm	ICP-MS
Barium	Report Only	0.140 ppm	ICP-MS
Cadmium	Report Only	0.006 ppm	ICP-MS
Chromium	Report Only	1.032 ppm	ICP-MS
Lead	Report Only	0.023 ppm	ICP-MS
Mercury	Report Only	0.019 ppm	ICP-MS
Tin	Report Only	0.042 ppm	ICP-MS

BIOLOGICAL PROPERTIES

Test Description	Specification	Result	Method
Total Plate Count	≤10,000 cfu/g	<10 cfu/g	FDA-BAM 3.01
Yeast & Mold	≤100 cfu/g	<10Y/<10M cfu/g	AOAC 2014.05
Enterobacteriaceae	≤100 cfu/g	<10 cfu/g	AOAC 2003.01
<i>E.coli</i>	Negative in 10 g	Negative in 10 g	USP NF <62> <2022>
<i>Pseudomonas aeruginosa</i>	Negative in 10 g	Negative in 10 g	USP NF 25 <62> Modified
<i>Salmonella</i>	Negative in 10 g	Negative in 10 g	USP <62> <2022>
<i>Staphylococcus aureus</i>	Negative in 10 g	Negative in 10 g	USP <62> <2022>
Coliforms	≤100 cfu/g	<10 cfu/g	AOAC 991.14

CHEMICAL PROPERTIES

Ingredients (per 1 capsule)	Label Claim	Specification	Result	Method
Vitamin D3 (as Cholecalciferol)	50 mcg	45 - 99 mcg	64 mcg	HPLC
Other Ingredients: Microcrystalline Cellulose, Vegetarian Capsule (hypromellose and water)				

This quality control analytical report reflects reports by our supplier(s) and/or independent laboratories. This product has been manufactured in accordance with the master formulation listed above and in compliance with the customer specifications. The records were reviewed and found to be in compliance with cGMP.

Analyzed by: Purity Laboratories	Date of analysis: May 23, 2025
Released by:	Date of release: 4-1-20
Quality Assurance Specialist	